

INDEX MAPS.

T.28N. R.13E. 2nd Mer.

	342		342		342		341		341		341	
344	6	366	5	360	4	356	3	353	2	348	1	340
	365		365		360		356		352		348	
344	7	365	8	359	9	356	10	352	11	347	12	340
	364		364		359		355		351		344	
343	18	364	17	359	16	355	15	351	14	347	13	339
	363		363		358		355		351		346	
343	19	363	20	358	21	354	22	350	23	346	24	339
	362		362		358		354		350		346	
343	30	362	29	357	28	354	27	350	26	345	25	339
	361		361		357		353		349		345	
343	31	361	32	357	33	353	34	349	35	346	36	338
	338		338		337		337		337		337	

Meadow of St. Mary's river 368

T.17N. R.14E. 2nd Mer.

	376		377		377		378		378		378
381	6	385	5	389	4	393	3	399	2	399	1
	385		389		393		398		400		400
380	7	384	8	388	9	393	10	398	11	401	12
	384		388		392		398		401		401
380	18	384	17	388	16	392	15	397	14	402	13
	383		387		392		397		402		403
379	19	383	20	387	21	391	22	396	23	403	24
	382		387		391		396		396		403
379	30	382	29	386	28	390	27	395	26		25
	382		386		390		394		395		
379	31	381	32	385	33	390	34	394	35		36
	375		375		375		376		376		

Boundary Greenwell
East of New Purchase

Boundary Greenville Shady
Creek of New Purchase & Co.

Township 28 North. Range 13 East 2nd Mer. Ind^a.

ch. Sh.

South Boundary

Var. 6.00 15.

Meet On S. Side Sec. 36.

40.00 Set gr. Sec. post, from which
a W. Oak 36 in. dia. bears S 18 E, 10 ths.
an Elm 18 " " " N 75 W, 25 "

62.70 an Elm 30 in. dia.

80.00 Set post Cor. Secs. 35 & 36, from which
a W. Oak — in. dia. bears S 32 E, 7 ths.
a B. Oak — — — South 25 "
Timber Beech Oak Ash &c and ¹/₂ Spice

Meet On S. Side Sec. 35.

30.45 a Beech 10 in. dia.

40.00 Set gr. Sec. post, from which
a W. Oak 20 in. dia. bears N 5 E, 3 ths.
a Do 20 " " " S 69 W, 36 "

71.00 a B. Oak 36 in. dia.

80.00 Set post Cor. Secs. 34 & 35, from which
a Beech 12 in. dia. bears N 21 E, 17 ths.
a Do 13 " " " S 5 W, 32 "
Land, as before.

Meet On S. Side Sec. 34.

30.63 a Sugar 12 in. dia.

40.00 Set gr. Sec. post, from which
a W. Oak 24 in. dia. bears N 55 E, 11 ths.
a Lynn 16 " " " S 61 W, 16 "

80.00 Set post Cor. of Secs. 33 & 34, fr. which
a Lynn 10 in. dia. bears S 40 W, 10 ths.
an Oak 10 " " " N 12 W, 16 "
Land, as above.

Meet On S. Side Sec. 33.

3.26 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which

S. 28 N. 14. 13 E. 2nd Mer. Indian

ch. 1st Mo. a Beech 10 in. dia. bears N 81 W. 16 lbs.
 an Oak 12 " " " S 25 E 11 "
 80.00 Set post Cor. Secs. 32 & 33, from which
 an Elm 20 in. dia. bears S 52 W. 37 lbs.
 a W. Oak 7 " " " S 33 W. 25 "
 Land, as above.

West On S. Side Sec. 32.
 3.00 Intersection Swamp
 40.00 Set gr. Sec. post in Swamp
 48.38 a Beech 18 in. dia.
 80.00 Set post Cor. Secs. 31 & 32, from which
 a Beech 20 in. dia bears N 22 E. 9 lbs.
 a Do 15 " " " S 58 E. 30 "
 Land, Same.

West On S. Side Sec. 31.
 12.67 a Cherry tree 12 in. dia.
 40.00 Set gr. Sec. post, from which
 a Maple 10 in. dia. bears S 10 W. 15 lbs.
 a Do 3 " " " N 75 E. 8 "
 62.63 a Cottonwood 30 in. dia.
 74.00 Intersection T. Cor. at post
 Land, rich Timber, Beech, Hickory, Oak &c
 Surveyed in. 1820.

By

John M. Donald D.S.

East Boundary

Run 5.30'.

North On E. Side Sec. 36.
 3.67 a Beech 10 in. dia.
 40.00 Set gr. Sec. post, from which
 an Ash 24 in. dia. bears S 13 W. 15 lbs. Dist.
 an Elm 10 " " " N 20 E. 13 " "
 69.75 a W. Oak 24 in. dia.
 80.00 Set post Cor. Secs. 25 & 36, from which

339

T. 28 N. R. 13 E. 2nd Mer. Ind. ^a

a Hickory 24 in. dia. bears N 34 W 10 lbs.
 a Beech 8 " " " N 51 E, 6 "
 Land, rich Tim. Beech, Sugar, Hickory,
 Undergrowth Spruce.

North On E. Side Sec. 25.

24.54 a Poplar 24 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia. bears S 15 W, 6 lbs. Set.
 an Elm 12 " " " N 10 W, 14 " "
 74.60 a Cottonwood 14 in. dia.
 80.00 Set post Cor. Secs. 24 & 25, from which
 a Cottonwood 10 in. dia. bears N 55 E, 75
 Land, as above.

North On E. Side Sec. 24.

25.25 a W. Oak 24 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia. bears S 34 W, 18 lbs.
 a Do 12 " " " N 20 W, 21 "
 67.00 an Ash 12 in. dia.
 80.00 Set post Cor. Secs. 13 & 24 from which
 a Sugar 24 in. dia. bears S 75 E, 17 lbs.
 a W. Oak 24 " " " N 55 W, 21 "
 Land as above

North On E. Side Sec. 13.

8.50 a Brook 15 lbs wide ers. N. E.
 34.00 a W. Oak 36 in. dia.
 40.00 Set gr. Sec. post, from which
 a W. Oak 24 in. dia bears S 20 E, 33 lbs.
 a Do 24 " " " N 37 E, 6 "
 59.50 a W. Oak 24 in. dia.
 62.00 a Road.
 80.00 Set post Cor. Secs. 12 & 13, from which
 a Beech 24 in. dia. bears N 17 W, 14 lbs

S. 28 N. W. 13 E. 2nd Mer. Ind^a
 4th Th?

a Beech 24 in. dia. bears N 75 E 19 lbs.
 Land, as above.

North An E. Side Sec. 12.

- 8.25 Intersected St. Mary's River & Set Meander post
 a Hickory 10 in. dia. bears S 41 W, 3 lbs. Det.
 a Hackberry 10 " " " S 41 E, 5 " "
 10.40 Over River on bank & Set Meander post
 a W. Oak 10 in. dia. bears S 30 W, 10 lbs.
 a Walnut 24 " " " N 30 W, 5 "
 37.50 a Beech 36 in. dia.
 40.00 Set gr. Sec. post from which
 a Hickory 12 in. dia. bears North 5 lbs.
 a Beech 8 " " " South 16 "
 74.89 a Beech 24 in. dia.
 80.00 Set post Cor. Secs 1 & 12, from which
 a Beech 24 in. dia. bears S 40 E, 21 lbs.
 a Do 12 " " " N 73 W, 19 "
 Land, as before.

North An E. Side Sec. 1.

- 29.50 a Beech 18 in. dia.
 40.00 Set gr. Sec. post, from which
 a Cherry 18 in. dia. bears S 31 E, 23 lbs.
 a Beech 18 " " " N 56 W, 15 "
 78.00 Set post Cor. to Towns. 28 & 29 Ranges
 13 & 14 East, from which
 a W. Oak 12 in dia bears S 31 W, 4 lbs. Det.
 a Do " 12 " " " N 22 E, 45 " "
 Land, & Timber, as above.

March 11th 1820.

Surveyed by

John W. Donald
 Dep. Sur.

North Boundary

P. 28 N. 16. 13 E. 2nd Mer. Ind. 341

ch. M. Var. 6. 10. E.

West On S. Side Sec. 36.

19.75 a Hickory 24 in. dia.

40.00 Set gr. Sec. post, from which
An Ash 8 in. dia. bears S 40 W 3 lbs. Dist.
a Hickory 12 " " " N 40 E. 16 " "

76.50 a B. Oak 12 in. dia.

80.00 Set post Cor. Secs. 35 & 36, from which
a Beech 8 in. dia. bears S 15 W 8 lbs. Dist.
a W. Oak 24 " " " N 65 E. 27 " "
Rich Land, Timber Beech, oak,
Hickory, and ^{the} Spruce.

West On S. Side Sec. 35.

12.62 a W. Oak 24 in. dia.

40.00 Set gr. Sec. post, from which
a Buckeye 10 in. dia. bears N 5 E. 30 lbs. Dist.
a B. Oak 12 " " " S 77 E. 14 " "

65.30 a Beech 24 in. dia.

80.00 Set post Cor. Secs. 34 & 35, from which
An Elm 10 in. dia. bears N 55 E. 19 lbs.
An Ash 10 " " " S 54 W 8 "
Land, as above.

West On S. Side of Sec. 34.

16.00 Intersecting R. St. Marys N. W. & Set
post, from which

a Beech 24 in. dia. bears N 50 E. 19 lbs.

An Elm 12 " " " S 50 W 7 "

18.80 Set post on opposite bank; ^{of River} from which
an ash 12 in. dia. bears N 69 W 3 lbs. Dist.
a Sugar 10 " " " S 81 E. 2 " "

40.00 Set gr. Sec. post, from which
a W. Oak 10 in. dia. bears N 78 E. 16 lbs.
a Do 10 " " " S 78 W 6 "

69.00 St Marys Road.

T. 28 N. R. 13 E. 2nd Mer. Indiana.

Ch. M.

80.00 Set post Cor. Sec. 33 & 34, from which
a Beech 18 in. dia. bears S 82 W. 20 ths.
an Elm 20 " " " N 60 E 19 "

West On S. Side Sec. 33.

21.00 a Creek 55 ths. wide crs N. E.

32.00 a Cherry tree 4 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears S 76 W. 14 ths. Dist.
an Ash 14 " " " S 85 E. 24 " "

70.65 a W. Oak 9 in. dia.

80.00 Set post Cor. Secs. 32 & 33 from which
a Maple 20 in. dia. bears N 61 W. 14 ths.
an Ash 20 " " " N 49 E. 24 "
Timber, Beech, ash, &c

West On S. Side Sec. 32.

6.30 a W. Oak 21 in. dia.

33.50 a Branch 20 ths. wide crs N. E.

40.00 Set gr. Sec. post, from which
a Beech 24 in. dia. bears S 52 E. 12 ths.
a Do 18 " " " N 45 W. 24 "

43.19 a B. Oak 18.

80.00 Set post Cor. to Secs. 31 & 32, from wh.
a B. Oak 24 in. dia. bears N 44 E. 16 ths.
a Hickory 18 " " " N 60 W. 17 "
Land as above.

West On S Side Sec. 31.

8.00 a Brook 20 ths. wide crs N. E.

40.00 Set gr. Sec. post, from which
a Beech 24 in. dia. bears N 30 E. 19 ths.
a Cherry 14 " " " S 82 W. 34 "

65.00 a Brook 20 ths. wide crs N. E.

70.00 Intersected Town Cor. at post
Land. Timber, Beech, Oak, ash &c

343

P. 28 N. N. 13 E. 2nd Mer. Indiana.

Ch. W. Surveyed in 1820.

By

John M. Dend 2^d.

West Boundary

Ans. 6° 10' E.

North On E. Side Sec. 36.

31.00 a Beech 28 in. dia.

41.00 Set gr. Sec. post, from which
An Ash 24 in. dia. bears S 77 W. 5th No.
a Hickory 18 " " " N 82 E. 26 "

53.12 an Elm 18 in. dia.

75.00 a Swamp

80.00 Set post cor. Secs. 25 & 36,
in a Swamp Timber, Elm, Beech.

North On E. Side Sec 25.

40.00 Set gr. Sec. post in a Swamp

63.00 a Hickory 20 in. dia.

60.00 Entered Timber

80.00 Set post cor. Secs. 24 & 25, from which
a Sugar 9 in. dia bears S 36 E. 15th No. Dist.
a Beech 7 " " " S 50 W. 17 " "
Land, wet Timber, Elm, Ash &c

North On E. Side Sec. 24.

5.00 Enter Swamp

40.00 Set gr. Sec. post ~~from which~~ in Swamp.

65.00 Entered Swamp

80.00 Set post cor. of Secs. 13 & 24, from which
an Ash 12 in. dia bears N 71 E. 8th No.
a Beech 16 " " " N 26 E. 23 "
Land, as above March 14th 1820.

North On East Side Sec. 13.

32.44 a Beech 24 in. dia.

40.00 Set gr. Sec. post, from which

344 S. 28 N. 14. 13 E 2nd Mer. Indiana

ch. 1st a Beech 18 in. dia. bears N 48 W 19 lbs.
 a W. Oak 30 " " " S 13 E 3, 1 "
 42.03 a Hickory 12 in. dia.
 80.00 Set post Cor. Sec. 12 & 13, from which
 a Beech 8 in. dia. bears N 65 E, 16 lbs.
 a Do 12 " " " S 21 W, 38 "
 Timber, Bl. ash, oak, Hickory &c.

North An E. Side Sec. 12.

4.14 an ash 10 in. dia.
 40.00 Set gr. Sec. post, from which
 an Elm 16 in. dia. bears N 89 E, 6 lbs.
 a Do 30 " " " N 45 W, 30 "

41.24
 80.00 Set post Cor. Sec. 1 & 12, from which
 an Ironwood 6 in. dia. bears N 17 W, 16 lbs.
 a Beech 24 " " " S 80 W, 23 "
 Land, as before.

North An E. Side Sec. 1.

3.83 a W. Oak 30 in. dia.
 40.00 Set gr. Sec. post, from which
 a W. Oak 40 in. dia. bears N 78 W, 4 lbs.
 a Buckeye 8 " " " N 29 E, 14 "
 79.00 a Birch 20 lbs. wide esp. East.
 80.00 Set post Cor. Sec. 1 & 36, fr. wh.
 a B. Oak 36 in. dia. bears S 51 E, 30 lbs.
 a Sugar 20 " " " N 52 W, 52 "
 Land, Rich Timber, Bl. ash, oak, &c.
 Surveyed In 1820

By John M^cDonald D. S.

Subdivisions. Var. 5° 30' E.

North Between Secs. 35 & 36.

19.40 a W. Oak 15 in. dia.
 22.00 Corner to a Millon & Rose River Swamp

345

T. 28 N R. 13 E. 2nd Mer. Indiana.

sh. H. cr. N. W.

28.00 Left the same

40.00 Set gr. Sec. post, from which
a Hickory 10 in. dia. bears N 37 E, 5th.
a Beech 18 " " " S 42 W, 30 "

61.21 a Beech 12 in. dia.

80.00 Set post Cor. Secs. 25, 26, 35 & 36 fr. wh.
a Beech 10 in. dia. bears S. 21 W, 15th.
a B. Walnut 24 " " " S 21 E, 12 " "
Land, 2nd rate Beech, Sugar, B. Oak
Blash, & B. Walnut Sym, & Spice the Tim

East Between Secs. 25 & 36 Random

30.80 a Hickory 15 in. dia.

40.00 Set Temp. gr. Sec. post

50.00 To a Swamp

56.00 Left Co. cr. S. E.

79.40 Intersected E. Boundary 30th Sec. S. of post
Land & Timber Land

West Corner line bet. Secs. 25 & 36.

39.70 Set gr. Sec. post, from which
a Buckeye 8 in. dia. bears S 46 E, 6th.
an Elm 8 " " " N 58 W, 7 "

79.40 Section Cor.

North Between Secs. 25 & 26.

19.65 a Hickory 12 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N 45 E, 7th.
a Do 15 " " " S 51 W, 12 "

49.00 Cor. to a Swamp

66.26 a Willow 8 in. dia.

75.00 Left the Swamp

80.00 Set Post Cor. Secs. 23, 24, 25 & 26 fr. wh.
an Elm 8 in. dia. bears S 31 W, 4th.

T. 28 N. R. 13 E. 2nd Mer. Indiana.

ch. No. a Beech 12 in. dia. bears N 27 E. 57th the
Land, Swamp Timber, Willow, Rose
Prairie and mud

East An Random bet Secs 24 & 25.
12.50 Cor. to a Swamp
14 00 Left it N. 8' S. ers.
25.00 a Wash 15 in. dia.
210.00 Set gr. Sec. post (Temp.)
75.00 Cor. to a prairie ers. S. E.
79.50 Intersected E. Boundary in Edge of prairie

West Correct line bet. Secs. 24 & 25.
29.75 Set gr. Sec. post, from which
a Lynn 12 in. dia. bears S 3 E, 27th the.
a Lynn 6 " " " N 13 W, 20 "
79.50 Section Corner.

North Between Secs. 23 & 24.
19.60 a W. Oak 15 in. dia.
31.00 an open Smooth prairie ers. E. & W.
29.50 Left the same
40.00 Set gr. Sec. post, from which
a W. Oak 15 in. dia. bears S 37 E, 30th the.
a W Oak 8 " " " N 40 W, 31 "
61.10 a W Oak 18 in. dia.
80.00 Set post Cor. Secs. 13 14 23 & 24 p.w.h.
a Beech 12 in. dia bears N 24 W, 16th the
a Wash 6 " " " S 19 E, 18 "
Land 2nd rate Timber, Beech, Sugar,
B. Walnut, Lynn, Elm B. & W. Oak.

East Random bet. Secs. 13 & 24.
40.00 Set (Temp.) gr. Sec. post
74.00 a Run ers. N. E. 20th the. wide.
79.84 Intersected E. Boundary 2.84th the N. post

P. 28 N. 16. 13 E. 2nd Mer. Indiana.

347

ch. No. Land, and Timber Same

West Correct line bet. Secs. 13 & 24.

3992 Set gr. Sec. post, from which
a Hickory 12 in. dia. bears N 21 W. 6 ths.
an Elm 24 " " " S 21 E. 45 "

179.80 Section Corner.

North Between Secs. 13 & 14.

19.90 An Elm 18 in. dia.

4000 Set gr. Sec. post, from which
a W. Oak 24 in. dia. bears S 79 E. 17 ths.
a Do 28 " " " S 86 W. 39 "

54.00 a Red Oak 30 in. dia.

28.00 a Spruce 5 ft. wide, ers. N. 8.

30.00 Set post Cor. Secs. 11, 12, 13 & 14 from which
a B. Oak 18 in. dia. bears S 67 W. 35 ths.
an Elm 14 " " " N 74 E. 36 "

Land, good 2nd rate Timber B. W.
& B. Oak, Hickory, Elm, ash & Spruce

East Random bet. Secs. 12 & 13.

35.00 Crooked Greenhill road ers. N. W.

44.00 Set Temp. gr. Sec. post

54.39 To St. Marys River ers. N. W.

72.00 Leave the River, Crossed bend in River

80.00 Intersected E. Boundary 8 ths. N. of post
Land, West of River 2nd rate, E. of River
1st rate Tim. Sugar, Buckeye, Elm,

West Correct line bet. Secs. 12 & 13.

40.00 Set gr. Sec. post, from which
a W. Ash 4 in. dia. bears N 13 E. 18 ths.
a Beech 12 " " " S 8 W. 41 "

80.00 Section Corner.

North Between Secs. 11 & 12.

T 28 N. 16. 13 E. 2nd Mer. Indiana.

Ch. Sh.

17.00 Crossed road from Greenville to Fort Wayne
 29.00 a Buckeye 10 in. dia.
 50.00 Set gr. Sec. post, from which
 a Beech 12 in. dia. bears N 72 W. 36 lbs. Dist.
 a Do 18 " " " S 53 E. 18 " "
 45.00 Enter Bottom.
 61.00 An Elm 15 in. dia.
 62.00 a Creek 5 lbs. wide crs. N. E.
 67.56 To St. Marys River crs. N. W. & Set post
 a Hickory 4 in. dia. bears N 83 E. 10 lbs. Dist.
 a Buckeye 15 " " " S 82 W. 70 " "
 Land, To bottom same, Bottom first cuto
 land, Walnut W E 13. ash, The Timber
 72.74 a Cap River. Set post, from which
 a W. Oak 30 in. dia. bears N 62 W. 13 lbs.
 a Do 24 " " " S 82 E. 30 "
 80.00 Set post Cor. Sec. 13. 11 & 12.
 a Buckeye 14 in. dia. bears S 4 W. 39 lbs.
 a Do 12 " " " N 5 E 20 "
 Land, Same as bottom on S. side river

East An Random bet. Secs. 18 & 12.

80.00 a Creek 5 lbs. wide crs. S.

40.00 Set Temp. gr. Sec. post

79.70 Intersected E. Boundary 112 N. of post
Land 2nd rate

West Locust line bet. Secs. 18 & 12.

29.35 Set gr. Sec. post, from which

a Beech 20 in. dia. bears N 35 W. 20 lbs.

a Do 24 " " " S 41 E. 25 "

79.70 Section Corner.

North Between Secs. 18 & 2.

19.85 a W. Oak 18 in. dia.

40.00 Set gr. Sec. post, from which

T 28 N. R. 13 E. 2nd Mer. Indiana

349

Ch. M.

a Beech 10 in. dia. bears S 3 W. 19 lbs.
a Do 10 " " " N 6 E 20 "
60.25 a Beech 12 in. dia.
75.77 Entered N. Boundary 8 lbs. E. post
Set post Cor. Sec. 18 2nd from which
a Buckeye 10 in. dia. bears S 66 W. 58 lbs.
a Hickory 12 " " " S 62 E 58 "
Land, & timber same.

North Between Sec. 34 & 35.

18.50 An Ash 20 in. dia.
40.00 Set gr. Sec. post, from which
An Elm 20 in. dia. bears N 77 E 9 lbs. 10 st.
a Do 18 " " " S 87 W. 14 " "
61.80 a Beech 12 in. dia.
69.00 a Creek 6 lbs. wide sw. E.
80.00 Set post Cor. Secs. 26, 27 34 & 35 from which
a R. Oak 36 in. dia. bears S 39 E 40 lbs.
a Lynn 30 " " " N 39 W 39 "
Land, 2nd rate Tim. B. & W. Oak, Buck,
Lynn, Hickory, & W. Ash. Spruce &c

East Between Sec. 26 & 35 on Random

8.00 a Creek 6 lbs. wide sw. N. W.
40.00 Set gr. Sec. post (Lump).
49.00 Enter Swamp
56.00 Leave Do
79.80 Entered N. & S. line 160 lbs. S. post
Land, & timber, same

West Corner line bet. Secs. 26 & 35.

39.90 Set gr. Sec. post, from which
a Beech 14 in. dia. bears N 63 W. 8 lbs. 9 st.
a Do 12 " " " S 31 E 30 " "
79.80 Section corner.

350 S. 28 N. R. 13 E. 2nd Mer. Indiana

Ch. M.

North Between Secs. 26 & 27.

15.00 a W. Oak 16 in. dia.

39.00 a Beech 10 in. wide esp. E.

40.00 Set gr. Sec. post, from which
a W. Oak 10 in. dia. bears S 85 W. 15 lbs.
a Do 14 " " " S 2 — — "

63.20 a W. Oak 30 in. dia.

80.00 Set post Cor. Secs. 22, 23 26 & 27

a Beech 10 in. dia. bears N 85 W. 8 lbs.

a Do 12 " " " S 78 E. 28 "

Land, & Timber Same

East On Random bet Secs. 23 & 26.

15.00 Enter Wet Prairie

22.00 Leave Do

40.00 Set gr. Sec. post

79.56 Intersected N. & S. line 7 lbs. N. of post
Land, & Timber Same

West Correct line bet. Secs. 23 & 26.

39.78 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 92 E. 24 lbs.
a Hickory 10 " " " N 72 W. 10 "

79.56 Section Corner.

North Between Secs. 22 & 23.

20.58 a Red Oak 16 in. dia.

40.00 Set gr. Sec. post, from which
an Elm 20 in. dia. bears S 69 W. 21 lbs.
a B. Oak 6 " " " N 75 E. 21 "

58.50 a Sugar 18 in. dia.

80.00 Set post Cor. Secs. 14, 15 22 & 23 fr. wh.

a Sugar 14 in. dia. bears S 44 E. 2 lbs.

a W. Oak 30 " " " N 75 W. 6 "

Land, & Timber, Same

Ch. W.

East On Random bet. Secs. 14 & 23.

17.00 Enter Swampy Prairie

22.00 Left Do

40.00 Set Temp. gr. Sec. post

79.20 Intersected N. & S. line at post
Land & Timber Same

West Corner line bet. Secs. 14 & 23.

39.60 Set gr. Sec. post, from which
a W. Oak 12 in. dia. bears N 4 W, 43th
a Beech 12 " " " S 35 E, 33 "

79.21 Section Corner.

North Between Secs. 14 & 15.

20.15 a Red Oak 30 in. dia.

28.00 a Beech 50 lbs. wide ex. N. W.

40.00 Set gr. Sec. post, from which
a Beech 10 in. dia. bears S 10 E, 2th
a Do 6 " " " N 16 W, 8 "

62.00 a W. Oak 20 in. dia.

80.00 Set post Cor. Secs. 10, 11, 14 & 15 Int.
a Beech 10 in. dia. bears S 18 W, 28th
a Do 10 " " " N 74 E, 11 "
Land, 2nd rate Tim. Beech, B. & W.
Oak, Ash, Hickory, Elm, Spruce &c

East Random bet. Secs. 11 & 14.

40.00 Set Temp gr. Sec. post

79.60 Intersected line 10 lbs. N. of post
Land flat & Wet with B. Oak Elm,
& Hickory

West Corner line bet. Secs. 11 & 14.

39.80 Set gr. post, from which
an Elm 18 in. dia bears S 12 E, 30th
a B. Oak 10 " " " N 22 E, 51 " "

79.60 Section Corner.

T. 28 N. R. 13 E. 2nd Mer. Indiana.
ch? Pk?

North Between Secs. 10 & 11.

- 17.00 a Hickory 20 in. dia.
22.50 a Creek 5 lbs. wide crs. N. W.
20.00 Set gr. Sec. post, from which
a W. Oak 24 in. dia. bears S 86 E, 14 lbs.
a Beech 12 " " " N 78 E, 14 "
66.50 a Beech 12 in. dia.
80.00 Set post Cor. Secs. 2, 3 10 & 11, from which
an Elm 16 in. dia. bears E 5 lbs. Set
a Beech 18 " " " N 69 W, 24 lbs.
Land, 2nd rate Tim. Beech, Elm, Hick,
R. & W. Oak Ash & Spruce.

East Between Secs. 2 & 11 on Pandora

- 20.00 Crossed Greenville Road.
40.00 Set ~~Temp~~ gr. Sec. post
72.76 To St. Mary's River crs. N. W. High Bank
Set ~~Temp~~ post, for meander.
75.46 Crossed River & Set Temp. post
79.46 Intersected line 27 lbs. N. of post
Land west of the River Good 2nd
rate. Tim. Beech, R. & W. Oak Hickory,
& Ash, Elm, & Spruce, E. of River 1st rate
Land. Tim. Buckeye Sugar, Elm, Spruce

West Correct line bet. Secs. 2 & 11.

- 4.00 Set post on E. Side River Cor. to Sec 2 & 11
a Hickory 10 in. dia. bears S 27 E, 27 lbs.
a Buckeye 12 " " " N 12 W, 28 "
17.20 Cross R. and Set post Cor. Secs. 2 & 11.
a Beech 24 in. dia. bears S 14 W, 15 lbs.
a Buckeye 14 " " " N 16 lbs.
39.73 Set gr. Sec. post, from which
a Beech 8 in. dia. bears S 44 E, 11 lbs. Set
a Os 8 " " " N 44 W, 2 "
79.46 Section Cor.

North	Between Secs. 2 & 3.
16.00	Crossed Greenville Road crs. N. W.
18.00	a W. Ash 30 in. dia.
26.00	a Creek 5 lbs. wide crs N. E.
40.00	Set gr. Sec. post, from which a Beech 10 in. dia. bears N 83 W, 24 lbs. a W. Ash 8 " " " S 79 E 32 "
47.10	To St. Mary's River & Set post cor. to frac ^t Sect 2 & 3 from which a W. Oak 20 in. dia bears S 65 W, 30 lbs. a Do Do 16 " " " S 50 E, 32 "
48.74	Crossed the River & Set mean th post on bank a Buckeye 10 in. dia. bears S 60 E, 31 lbs. a Hackberry 6 " " " N 43 W, 8 "
76.36	Intersected N. Boundary 143 lbs. E. post Set post Cor. Secs. 2 & 3. from which a Hickory 6 in. dia. bears S 57 W, 32 lbs. an Elm 4 " " " S 63 E, 10 " Land S of post 2 nd rate N. 1 st rate

North	Between Secs. 33 & 34.
20.80	a Hickory 15 in. dia.
40.00	Set gr. Sec. post, from which a Beech 10 in. dia. bears S 55 E, 20 lbs. a Do 10 " " " N 87 W, 8 "
55.85	a W. Ash 16 in. dia.
80.00	Set post Cor. Secs. 27 & 28 33 & 34 fr. wh. a Beech 12 in. dia. bears N 61 E, 8 lbs. a Do 16 " " " S 83 W, 20 " Land 2 nd rate Tim. Beech, W. & Bl. Oak Hickory, W. Ash, Elm, Lynn, Spruce

East	On Random bet. Secs. 27 & 34.
23.00	a creek. 8 lbs. wide crs. N.
40.00	Set gr. Sec. post (Temp.)
79.90	Intersected N. & S. line 13 lbs. S of post

T. 28 N. R. 13 E. 2nd Mer. Ind^a

Ch. W. Land, flat Timber R. & Bl. oak, Hickory,
Bl. ash, Elm, Beech & Spruce (but Land)

West Correct line bet. Secs. 27 & 34.

39.95 Set gp. Sec. post, from which
a Bl. ash 24 in. dia bears N 14 W, 22
a Do " 8 " " " S 22 E, 13 lbs.

79.90 Section Corner.

North Between Secs. 27 & 28.

18.35 a W. ash 18 in. dia.

50.00 Set gp. Sec. post, from which
a Beech 20 in. dia bears N 14 W, 21 lbs
a Do 12 " " " S 65 E, 30 "

61.40 a R. Oak. 48 in. dia.

80.00 Set post cor. Secs. 21, 22, 27 & 28 fr. wh.
An Elm 24 in. dia. bears N 89 W, 43 lbs
a Beech 8 " " " S 89 E, 43 "
Land 2nd rate Tim R. & Bl oak
Hickory, Elm, & W. ash, Beech Sugar
Spruce & Spruce

East An Random bet Secs. 22 & 27.

37.00 a Brook 10 lbs wide crs. N. E.

40.00 Set Temp. gp. Sec. post

80.50 Intersected N & S line 7 lbs. N. of post
Land & Timber Same

West Correct line bet. Secs. 22 & 27.

40.25 Set gp. Sec. post, from which
a Beech 12 in. dia bears S 57 W, 11 lbs.
a Do 10 " " " N 76 E, 45 "

80.50 Section Corner.

North Between Secs. 21 & 22.

18.50 a Beech 15 in. dia.

+ 355

T. 28 N. R. 13 E. 2nd Mer. Ind. a.

ch. eff. 10.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears S 68 E. 30 ths.
a Do 10 " " " N 51 W. 28 "
60.15 a Beech 24 in. dia.
80.00 Set post Cor. Secs. 15, 16, 21 & 22, in a
creek 10 ths. wide crs. N. W. from which
a N. Oak 16 in. dia. bears S 42 E. 22 ths.
An Elm 12 " " " N 42 W. 32 "
Land, & timber Same.

East An Random bet Secs. 15 & 22.
10.00 Set gr. Sec. post (Temp)
80.13 Intersected N. E. S. line 7 ths. S. of post
Land, & Timber, Same

West Correct line bet Secs. 15 & 22.
10.66 Set gr. Sec. post, from which
a Hickory 12 in. dia. bears S 45 E. 30 ths.
a Sugar 14 " " " N 20 W. 12 "
80.13 Sec. Cps.

North Between Secs. 15 & 16.
21.25 a Hickory 24 in. dia.
10.00 Set gr. Sec. post, from which
a Beech 14 in. dia. bears N 57 W. 16 ths.
a Lynn 8 " " " S 68 E. 8 "
63.40 An Elm 18 in. dia.
80.00 Set post Cor. Secs. 9, 10, 15 & 16, from which
An Ironwood 4 in. dia. bears N 72 W. 14 ths.
a Beech 20 " " " S 64 E. 45 "
Land 2nd rate Tim. P. & B. Oak Elm,
Hickory, Beech, Lynn, &c. Spruce.

East An Random bet. Secs. 10 & 15.
10.00 Set Temp. gr. Sec. post
43.00 a Beech 40 in. dia. crs. N. W.
79.95 Intersected N. E. S. line 4 ths. N. of post
Land, good 2nd rate Tim. P. & B. Oak

356 S 28 N. 16. 13 E. 2nd Mer. Indiana
Ch. W.

Hickory, Elm, W. Ash, Beech, & Lyrn.
Spruce &c.

West Correct the line bet. Secs. 10 & 15.

39.98 Set gr. Sec. post, from which
a Buckeye 10 in. dia. bears S 26 E. 18 ths.
a B. Oak 12 " " " N 14 W. 32 "

79.95 Section Corner.

North Between Secs. 9 & 10.

21.12 a Hickory 15 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 10 in. dia. bears N 66 W. 18 ths.

59.25 a W. Ash 8 in. dia. " " " N 59 E. 43 "

80.00 Set post Cor. Secs. 8, 9 & 10 fr. wh.
a Beech 12 in. dia. bears S 61 E. 20 ths. Dist.
a W. Oak 16 " " " N 27 W. 12 " "
Land, & Timber Same

East Between Secs. 3 & 10 on Random

24.00 a Beech 40 ths wide. cor. N. W.

40.00 Set Temp. gr. Sec. post

80.05 Intersected N. E. S. line 20 ths. N. of post
Land, & Timber, Same.

West Correct line bet Secs. 8 & 10.

40.02 Set gr. Sec. post, from which
a W. Ash 40 in. dia. bears N. 5 W. 14 ths.
a Beech 20 " " " S 23 W. 38 "

80.05 Sec. Cor. " "

North Between Secs. 3 & 4.

21.80 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which
a Dogwood 4 in. dia. bears N 85 W. 4 ths.
a Beech 4 " " " N 74 E. 33 "

P. 28 N. R. 13 E. 2nd Mer. Ind. a. ³⁵⁷

60.80 a W. Oak 30 in. dia.
 67.00 a Creek 50 ft. wide eas. N. W.
 77.07 Intersected N. Boundary 200 lbs. E. of
 post Set post Cor. Sec. 28 & 29, T. 5. which
 a Beech 20 in. dia. bears S 79 W. 208 lbs.
 a Do 18 " " " S 59 E. 16 "
 Land, & Timber Same

North Between Secs. 28 & 33.

From post in prairie
 20.00 Left " " "
 20.90 a B. Oak 12 in. dia.
 44.00 Set gr. Sec. post, from which
 a Beech 24 in. dia. bears S 60 E. 22 lbs.
 a Dogwood 4 " " " S 75 W. 28 "
 56.30 a W. Oak 30 in. dia.
 80.00 Set post Cor. Secs. 28 & 29 328 & 33 from which
 a W. Oak 16 in. dia. bears S 68 E. 28 lbs. dist.
 a Lyrus 12 " " " N. 54 W. 19 " "
 Land 2nd rate Tim. 12 & W. Oak, Beech,
 Ash, Hickory, Lyrus, Spruce &c.

East On Random bet Secs. 28 & 33.

11.00 Set Temp. gr. Sec. post
 74.95 Intersected N. & S. line 9 lbs. N. of post
 Land, & Timber Same.

West Correct line bet Secs. 28 & 33.

39.98 Set gr. Sec. post, from which
 an Elm 18 in. dia. bears N 28 E. 42 lbs.
 a Beech 12 " " " S 75 W. 9 "
 79.95 Section corner.

North Between Secs. 28 & 29.

10.00 Enter Willow-Swamp
 23.00 a W. Oak 8 in. dia.

358 S. 28 N. 16. 13 E. 2nd Mer. Indiana.

24.00 Clear Swamp
40.00 Set gr. Sec. post, from which
an Ironwood 6 in. dia. leans S 14 E, 10 lbs. Oak
a W. Oak 8 " " " N 34 W 18 " "
56.25 a B. Oak 40 in. dia.
80.00 Set post Cor. Secs. 20 & 21 28 E 29 lbs. Oak.
an Ironwood 6 in. dia. leans S 2 E W. 8 lbs. Oak.
a Beech 12 " " " N 17 W. 54 " "
Land, & Timber Same

East Between Secs. 21 & 28 (on Random)
40.00 Set Temp. gr. Sec. post
80.73 Intersected N. E. Line 14 lbs. N. of post
Land, & Timber Same

West Correct line bet. Secs. 21 & 28.
40.00 Set gr. Sec. post, from which
a White Oak 18 in. dia leans N 62 E, 7 lbs.
a Spruce 10 " " " S 17 E W. 18 "
80.13 Sec. Cor.

North Between Secs. 20 & 21...
23.75 a B. Oak 40 in. dia.
40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. leans N 47 W. 12 lbs.
a Do 16 " " " S 4 E, 45 "
52.00 a Brook 10 lbs. wide crs. N. W.
59.00 a Hickory 16 in. dia.
71.50 a Creek 15 lbs. wide crs. N. E.
80.00 Set post Cor. Secs. 16, 17, 20 & 21 from wh.
a Beech 12 in. dia. leans S 59 W. 10 lbs.
a Do 10 " " " N 80 E, 30 "
Land 2nd rate Tim Beech B. W.
& B. Oak Tim. Hickory, Spruce, Elm,
W. Oak & Spruce &c.

East On Random Set Secs. 16 & 21.

T. 28 N. R. 13 E. 2nd Mer. Indiana.

359

Ch. H.

27.00 a Creek 16 links wide N. cor.
40.00 Set Temp gr. Sec. post
80.40 Intersected Sec. line to the S of post
Land & Timber Same

West Correct line bet Secs. 16 & 21.
40.20 Set gr. Sec. post from which
a Beech 12 in. dia bears N 24 E. 14 ths
a Spruce 6 " " " S 52 W. 25 "
80.40 Sec. Cor.

North Between Secs. 16 & 17
15.05 a Hickory 16 in. dia.
40.00 Set gr. Sec. post from which
a Beech 10 in. dia bears N 45 W. 10 ths
a Do 12 " " " N 56 E 34 "
61.80 an Elm 24 in. dia.
80.00 Set post Cor. Secs. 8 & 16 & 17 from wh.
a Beech 6 in. dia. bears S 67 E 18 ths. Set.
a W. Ash 10 " " " S 82 W. 16 " "
Land 2nd to Timber Same as last
mile with some Sugar and Poplar

East On Random. bet. Secs. 9 & 16.
40.00 Set Temp gr. Sec. post
43.00 a Brook 25 ths wide cor. N.
80.38 Intersected N & S line 20 ths S of post
Land & Timber Same

West Correct line bet Secs. 9 & 16.
40.19 Set gr. Sec. post from which
a Beech 18 in. dia bears N 20 E. 21 ths
a Sugar 16 " " " S 14 E. 18 "
80.38 Section Corner

North Between Secs. 8 & 9.

P. 28 N. 16. 13 E. 2nd Mer. Ind. a

41.2 Ft.

20.60 a Hickory 18 in. dia.
 40.00 Set gr. & sec. post from which
 a Beech 28 in. dia bears N 89 W. 42 lbs
 a Do 6 " " " S 79 E. 30 "
 45.60 a Beech 10 lbs wide as N.E.
 69.40 a Beech 20 in. dia.
 80.00 Set post Cor. Sec. 4, 5, 8, 9 from which
 a Buckeye 6 in. dia bears S 49 E. 24 lbs
 a W. Oak 20 " " " N 60 W. 29 "
 Land & Timber Same

East

An Paddock bet Sec. 4 & 9
 17 00 a Brook 25 lbs wide as N.
 40.00 Set Temp. gr. Sec. post.
 80.05 Intersected N & S line at post
 Land & Timber Same

West

Correct line bet. Sec. 4 & 9
 40.02 Set gr. Sec. post from which
 a W. Oak 10 in. dia bears N 32 W. 31 lbs
 a B. Oak 36 " " " S 32 E. 22 "
 80.05 Section Corner.

North

Between Sec. 4 & 5.
 21.50 a Beech 18 in. dia
 40.00 Set gr. Sec. post from which
 an Elmwood 4 in. dia bears N 58 E. 30 lbs
 a W. Oak 16 " " " S 69 W. 16 "
 62.20 a Sugar 15 in. dia
 78.79 Intersected N. Boundary 140 M.P. of post
 Set post Cor. Sec. 4 & 5. from which
 a W. Ash 14 in. dia bears S 38 W. 28 lbs.
 a Bl. ash 18 " " " S 66 E. 23 "
 Land & Timber Same
 June 14th 1822

T. 28 N. R. 13 E. 2nd Mer. Indiana.
Ch. M.

North Between Secs. 31 & 32.
20.05 a Bl ash 6 in. dia.
25.00 Enter Swamp
25.00 Enter Swampy prairie
40.50 Set gr. Sec post in prairie
53.00 Enter Willow & Rose hued Swamp
59.90 a Bl. ash 4 in. dia.
79.00 Leave Swamp
80.00 Set post bet. Sec. 29 30 31 & 32
a W. Oak 30 in. dia. leaves 18 & 14 lbs
a Sugar 10 " " " 19 W. 28 "
Land to Swamp level & met. Timber
Elm Bl. ash. Hickory Beech W. Oak

East On Random bet Secs. 29 & 32.
40.00 Set gr. Sec post (Temp)
79.80 Intersected N & S line at post
Land 2nd rate Land
T. R. W & Bl. Oak Beech Hickory
Elm. Spruce Spruce & c.

West Correct line bet. Secs. 29 & 32.
39.90 Set gr. Sec post from which
a Spruce 18 in. dia. leaves 83 & 11.9 lbs
a Elm 12 " " " 862 & 20 "
79.80 Section Corner.

West Between Secs 30 & 31.
4.00 Enter Willow Swamp
7.00 Leave Do Do
18.25 a W oak 16 in. dia.
21.00 Enter Swampy prairie
40.00 Set gr. Sec. post in prairie
55.50 Leave Swamp & c.
64.50 a Beech 15 in. dia.
66.00 Enter Willow Swamp

S. 28 N. 16. 13 E. 2nd Mer. Indiana.
Ch. H.

69.00 quit & returned having gone South
around the Swamp & traced the
Tamm. line to the Swamp I found
no line into it, or corner.

North Between Secs. 30 & 29

25.84 a Beech 16 in. dia

40.00 Set gr. Sec. post from which
a W. Ash 16 in. dia bears N 82 W 48 th
a Beech 6 " " " S 81 E. 39 "

64.50 a B. Oak 24 in. dia.

80.00 Set post Cor. Secs. 19, 20 29 30 fr. wh.
a Lym 4 in. dia bears S 12 E. 8 th Set
a W. Ash 20 in. dia bears N 2 W 26 " "
Land 2nd rate Tim. Beech N. & Bl.
Oak Hickory W. Ash Elm Lym Sugar
& Spruce

East An Random bet Secs. 20 & 29

40.00 Set Temp gr. Sec. post

79.86 Intersected N & S line 23 th Set post.
Land & Timber Same

West Correct line bet Secs. 20 & 29

39.93 Set gr. Sec. post from which
a W. Ash 14 in dia bears N 6 W 49 th
a Beech 12 " " " S 6 E. 17 "

79.86 Sec. Cor.

West Between Secs. 19 & 30.

21.30 An Ash 10 in. dia

28.00 Enter Swamp

40.00 Set gr. Sec. post from which
a Bl. Ash 6 in dia bears N 40 E. 22 th
a Do 4 " " " " S 22 E 8 "

64.00 Leave Swamp

T. 28 N. R. 13 E. 2nd Mer. Indiana.

Ch² H²

72.92 Intersected M. Boundary 15th N. of post
& set post Co. Sec 19 & 20 from which
a Beech 30 in dia bears N 70 E 16th Dist.
a Sugar 18 " " " S 44 E 30 " "
Land, same

North Between Secs 19 & 20

5.00 Enter a Swamp of Bl. Ash & Willow

18.00 a W. Ash 10 in. dia.

40.00 Set gr. Sec. post from which
a Maple 4 in. dia bears S 17 W 2nd Dist.
a Bl. Ash 5 " " " N 37 W 12 " "

46.00 Left Swamp

58.20 an Elm 15 in dia.

80.00 Set post Co. Secs. 17, 18, 19 & 20 fr. wh.
a Beech 18 in. dia bears N 86 W 19th Dist.
a Hickory 15 " " " N 89 E 18 "
Land 1/2 Swamp N 1/2 2nd Dist.
Thin Beech Elm & Hickory.

East On Boundary bet Secs. 17 & 20

40.00 Set Temp gr. Sec. post

79.80 Intersected N & S line & the S. of post.
Land cont. & 2nd rate Tim. B & W.
Oak Elm Bl. Ash Sycamore Beech
& Spruce.

West Correct line bet. Secs. 17 & 20.

39.90 Set gr. Sec. post, from which
a Syc 6 in. dia bears S 20 W 18th Dist.
a B. Oak 24 " " " N 3 W 45 " "

79.80 Section Corner.

West Between Secs. 18 & 19.

22.00 a Sycamore 24 in. dia.

40.00 Set gr. Sec. post from which
an Elm 12 in. dia bears N 39 W 42nd Dist.

T. 28 N. R. 13 E. 2nd Mer. Indiana.Ch[?] 4th?

66.45 a W. Ash 20 in. dia bears S 68 W. 5 lbs
 71.60 a Beech 15 " " "
 Intersected W. Boundary at post
 Land 2nd rate Tim. Beech W. Ash
 Elm. & Spruce &c Sec. 19 is prairie =
 = equally wet prairie with a swamp
 on the S. & E. corner with Willow
 & Rose briar &c.

North Between Secs. 17 & 18

23.30 a B. Oak 20 in. dia.

110.00 Set gr. Sec. post from which
 a Beech 18 in. dia bears S 42 W. 5 lbs
 a Do 10 " " " N 33 E 56 "

60.56 an Elm 12 in dia.

80.00 Set post cor. Secs. 7 & 8 17 & 18 from
 a Beech 10 in. dia bears S 9 E. 11 lbs
 a Do 15 " " " N 10 W 4 "
 Land & Timber on S. half same
 N. half wet with Elm Bl. Ash Cottonwood

East Between Secs. 8 & 17 (on Random)

40.00 Set Temp gr. Sec post

67.50 a Brook 6 lbs wide ex. N.W.

170.86 Intersected N & S line 11 lbs S. of post
 Land & Timber 70 lbs. same as East half
 mile N. end to 2nd rate

West Correct line bet. Secs. 8 & 17.

89.93 Set gr. Sec. post from which

a W. Ash 12 in. dia bears N 14 W. 25 lbs
 a Beech 20 " " " S 14 E. 10 "

170.86 Section Corner Sunday June.

West Between Secs. 7 & 18

1700 an Elm 20 in. dia.

365

T. 28 N. R. 13 E. 2nd Mer. Ind^a

Ch. Mt.

40.00 Set gr. Sec. post from which
a Beech 6 in. dia. leans S. 5 E. 33th
a Do 12 " " " N 23 W. 55 "

56.75 An Elm 20 in. dia.

71.00 Intersected West Boundary 16 ft.
N. of post Set post Cor. Sec. 7 & 18.
a Beech 8 in. dia. leans S 58 E. 18th
a B. Oak 24 " " " N 18 E. 33 "
Sand level & Shaky Tim Elm Bl oak
Cottonwood Beech B. & Bl oak Spruce.

North Between Secs. 7 & 8

16.60 a Beech 18 in. dia.

40.00 Set gr. Sec. post from which
a Beech 14 in. dia. leans N 58 W. 25th
a Do 4 " " " S 68 E. 29 "

63.60 a Hickory 24 in. dia.

80.00 Set post Cor. Secs. 5, 6, 7 & 8
a Cottonwood 86 in. dia. leans S 75 W. 36
an Elm 10 " " " N 75 E. 9th
Sand, & Timber, Same.

East An Random bet. Secs. 5 & 8

40.00 Set gr. Sec. post from (Lumpy.)

70.80 Intersected N & S line 5th N. of post
Sand and Timber Same

West Correct line bet. Secs. 5 & 8

30.90 Set gr. Sec. post, from which
a Sugar 10 in. dia. leans S 29 W. 16th
a Beech 10 " " " N 7 W. 35 "

70.80 Section Corner.

West Between Secs. 6 & 7...

22.60 a Beech 8 in. dia.

40.00 Set gr. Sec. post, from which.

T. 28 N. R. 13 E. 2nd Mer. Indiana.

ch. 10. a Beech 14 in dia. bears S 30 W 33 lbs
 a Do 14 " " " N 20 E, 23 "
 60.60 a Hickory 18 in. dia.
 70.46 Intersected 20 links S. of post the W.
 Boundary & set post for Cor. Sec. 6 & 7
 a W. Oak 40 in. dia. bears N 60 E, 33 lbs. Dist.
 a Beech 20 " " " S 22 E, 45 "
 Land & Timber same with some
 Sugar, W. Oak, & the slashy narrower, & a
 bottom wood.

North Between Secs. 5 & 6.
 15.56 a W. Oak 30 in. dia.
 40.00 Set gr. sec. post, from which
 a Beech 18 in. dia. bears N 74 W 8 lbs
 a Do 10 " " " N 52 E, 11 "
 55.75 a W. Oak 24 in. dia.
 80.07 Intersected N. Boundary 83 lbs. E. of post
 Set post Cor. Secs 5 & 6. from which
 a Beech 10 in. dia. bears S 28 E, 27 lbs.
 a W. Oak 20 " " " S 24 W, 30 "
 Land good 2nd rate. Tim. Beech
 W. Oak, Sugar, Lyrn, R. & Bl. Oak,
 & Spruce &c.

Surveyed in 1822.

By James Riley, Dep. Sur.

S. 28 N. R. 13 E. 2nd Mer. Ind^a 367

Certify that the foregoing ^{and following} transcripts of the field notes of Township No 28 North, in Range No 13 East 2nd Mer. Indiana, has been compared with the Original in this office and found to be correct.

Surveyor General's Office.

Cincinnati, March 27th 1845.

William Johnston
Sur. Genl.

368

S. 28 N. R. 13 E. 2nd Mer. Ind^a
Ch. M.

Courses. Ch. M.

Meanders of the St. Marys
River, on Right Bank
from post in North Bank
Thence up stream -
In Sec. 3.

S 26 E 8.00

S 36 E 13.34

S 10 E 4.64

S 41 E 7.35

To post in line of Sec. 2 & 3.

S 71 E 4.44

N 80 E 10.00

In sec 2.

S 56 E 5.16

S 16 E 4.35

Crossed a Run 5 M. fr. E.

S 2 E 14.00

N 60 E 2.50

N 48 E 7.00

N 69 E 6.00

N 80 E 9.00

S 88 E 5.67

July 13th 1822.
In Sec. 2 continued.

S 73 E 7.69

S 60 E 5.50

S 42 E 10.35

S 24 E 4.64

Crossed a Run 5 fr. S.E.

S 18 E 10.00

S 23 E 3.55

To post in line bet Sec. 2 & 11.

S 30 E 8.20

To post in line of Sec. 11 & 12.

S 30 E 26.35

At 25.00 mouth of a Run 20
M. wide

00.00 00.00

S 20 E 21.87

S 50 E 8.00

S 80 E 5.30

S. 28 N. No. 15 E. 2nd Ma. Ind ^a 369

Courses.	cht.	thk.
N 70 E.	3.	50
N 56 E	7.	60
S 88 E	5.	00
S 79 E	6.	80
East	5.	70
S 53 E	5.	00
S 14 E	7.	00
S 31 W	7.	00
West	3.	90
N 45 W	6.	50
S 73 W	4.	00
S 16 E	6.	70
S 45 E	10.	00
S 86 E	11.	80
N 49 E	5.	50
N 24 E	4.	90
N 75 E	5.	29

at 4 Mouth of a br. 50 ft. wide.
Intersect line between
Ranges 13 & 14 East.

S 26 E.	10.	00
S 35 E	13.	50
S 26 E	6.	10
S 44 E	8.	00

Meanders of St. Marys
River on Left Bank
Beginning at post in
North Boundary. Thence
up stream in sec. 3.
at 8. a Spring. N. 55° 30' E.

To post in line of sec. 2 & 3.

S 71 E	5.	00
N 73 E	8.	79
S 49 E	4.	00
S 3 E	6.	50
S 5 W	11.	00
S 79 E	7.	00

at 5 a Dry creek c. l.

High Bank.

at 2 a Spring creek.

370 T. 28 N. R. 13 E. 2nd Mer. Indth

Course, ch. 1/2

N 51 E 11.50

at 4 a Brook 6 ft. wide &

N 79 E 8.50

S 88 E 8.77

S 65 E 10.00

Bottom.

S 48 E 8.00

S 28 1/2 E 7.65

S 16 E 13.37

S 29 E 3.80

To post in line of sec. 2 & 11.

S 27 E 8.50

S 35 E 5.90

To post in line of sec. 11 & 12.

S 31 E 12.50

S 24 1/2 E 18.50

S 18 E 13.27

S 50 E 6.50

S 70 E 10.00

N 62 E 13.35

S 76 E 10.00

Bottom.

N 84 E 5.65

S 28 E 5.88

S 5 W 2.72

S 67 W 2.60

N 60 W 7.62

S 73 W 5.34

S 10 W 4.45

S 21 E 6.60

S 37 E 9.40

S 88 3/4 E 17.25

N 47 E 5.50

N 22 E 3.61

N 75 E 3.35

Intersect Range line between
Ranges 13 & 14 E. Var. 5.50 E.

Surveyed in 1822 by James Wiley, D.S.